

KÄRCHER

makes a difference



MAXIMUM CLEAN. SIMPLE TO RUN.

Well rounded, ideal for multiple cleaning applications.

PROFESSIONAL | BD 50/50 C CLASSIC BP

Professional cleaning, now made easier.

Designed to meet all of your scrubbing needs without breaking the bank. The economically focused BD 50/50 C Classic Bp provides you all the cleaning power to take on large jobs easily. All controls have been simplified so any operator can quickly learn how to use this machine to perfectly clean your floors. This reduces training time and increases consistency between operators. For maximum flexibility we designed the brush and pad changeover to be quick and simple with an east-to-use integrated T-bar handle. Our standard Home Base kit allows for easy transport of other commonly used items right on the machine reducing trips back to the janitors closet. Ask for a test drive to see how the BD 50/50 C Classic Bp is the right choice for your cleaning needs.



1 Easy to use

- Three cleaning modes make perfect cleaning a breeze
- Rigid brush T-handle enables quick change from pad to brush

2 Great value

- Packed with a lot of high quality, proven features at a great price
- Large tank allows means less trips back to the janitor's closet saving valuable time

3 Operator friendly

- Slim design allows for clear view of what is ahead
- Home base kit allows for carrying of other essentials, resulting in less trips to the supply closet

4 Simple to operate

- Three cleaning modes for simplicity and ease of training
- Color-coded controls make it clear what is for daily operation and what is for maintenance

Technical specifications and order numbers.



BD 50/50 CLASSIC BP

TECHNICAL SPECIFICATIONS

Cleaning path/width	in	20
Brush type	cylindrical/disc/pad	pad
Brush quantity	units	1
Brush diameter	in	20
Suction bar (squeegee) width	in	33
Drive	pad-assist/traction	pad-assist
Solution/recovery capacity	gal	13.2/13.2
Theoretical/practical productivity	sq. ft/hr	13,200/9,900
Operating noise level	dBa	66
Battery charger	shelf/on board	shelf
Brush contact pressure	lbs	59-62
Brush speed	rpm	180
Vac motor rating	watts	500
Vac motor suction	cfm	51
Waterlift	in of water	48
Weight with batteries	lbs	306
Dimensions (LxWxH)	in	47 x 21 x 39

EQUIPMENT

Order No.	Description
1.127-029.0	BD 50/50 C Classic Bp, pad driver, 24V/105 Ah wet batteries
1.127-030.0	BD 50/50 C Classic Bp, pad driver, 24V/100 Ah AGM batteries

ACCESSORIES

Order No.	Description
■ 4.762-534.0	Pad driver, 19 inch, features a quick-change coupling and centerlock (standard on pad driver machines)
■ 4.777-411.0	Curved squeegee, 33.5 inches, with caster, polyurethane
□ 4.905-027.0	Disc brush, soft, made of natural fibers, for cleaning and polishing
□ 4.905-029.0	Brush, hard black - For stubborn dirt and basic cleaning. For hard wearing surfaces.
□ 4.905-026.0	Disc brush, medium grit, red, for general cleaning (standard on brush machines)
□ 6.369-079.0	Red disc pad, 20-inch, medium soft red for cleaning all types of floors, 5-pack
□ 6.369-078.0	Green disc pad, 20-inch, aggressive for cleaning heavily soiled floors and for deep cleaning, 5-pack
□ 6.369-077.0	Black pad, 20-inch, hard, for cleaning heavily soiled floors and for deep cleaning, 5 pack
□ 6.369-468.0	Beige disc pad, 20-inch, light grit, for polishing and refreshing of hard and elastic smooth floor coverings, 5 pack
□ 6.371-146.0	Beige disc pad, 20 inch, soft, natural hair, for polishing
□ 4.777-401.0	Squeegee, 33.5 inch, straight, made of oil-resistant transparent polyurethane, for smooth floors
□ 5.035-488.0	Home Base kit (adapter and cable hook)
□ 6.980-077.0	Double Hook (requires 5.035-488.0)
□ 4.035-406.0	Home Base kit carrying case
□ 6.980-078.0	Mop clip (requires 5.035-488.0)
□ 6.980-080.0	Bottle Hook (requires 5.035-488.0)
□ 4.070-075.0	Universal hook
□ 8.641-483.0	Charger for wet batteries
□ 8.629-377.0	Charger for AGM batteries

■ Included □ Optional

Please contact us for more information:

North America

4555 Airport Way
Denver, CO 80239 U.S.A.

Phone +1 800 444-7654

Fax +1 866 271-0520

www.karcher.com/us